



Receptacle & Switch







Feature

- Meet 2017 NEC requirement for tamper resistant and weather resistant.
- Available in standard duplex style or decorator style.
- Captive mounting screws.
- Back wire accepts #14 AWG solid copper wire only.
- Side and back wire accepts #12-#14 AWG solid.
- High impact-resistant thermoplastic construction.
- Flammability rating is V-2 per UL94.
- Back and side terminal wiring options for easy of installation.



Photo	Model	Description	Rating (A. V.)
	SSRE-1	Decorative receptacle Push & Side Wire	15A 125V
	SSRE-1TR	Decorative receptacle Tamper Resistant Push & Side Wire	15A 125V
	SSRE-2	Duplex receptacle Push & Side Wire	15A 125V
	SSRE-3	Duplex receptacle Push & Side Wire	20A 125V
	SSRE-3T	Duplex receptacle Tamper Resistant Push & Side Wire	20A 125V
	SSRE-4	Decorative receptacle Push & Side Wire	20A 125V



Photo	Model	Description	Rating (A. V.)
	SSRE-4TR	Decorative receptacle Tamper Resistant Push & Side Wire	20A 125V
	SSRE-5TR	Duplex receptacle Tamper Resistant Push & Side Wire	15A 125V
	SSRE-11	Single receptacle Side Wire	15A 125V
	SSRE-12	Single receptacle Side Wire	20A 125V





Decorative Switch

- High impact-resistant thermoplastic construction.
- Accepts #12 and #14 AWG
- Push wire #14 AWG
- Narrow back body leaves more space for wires in the box.
- Smooth, quiet paddle action.
- Easy-access green hex head ground screw.




Toggle Switch

- Thermoplastic toggle and enclosure.
- High impact-resistant construction.
- Accepts #12 and #14 AWG
- Push wire #14 AWG
- Smooth, quiet paddle action.
- Easy-access green hex head ground screw.




Photo	Model	Description	Rating (A. V.)
	SSK-1	Single pole decorative switch Push & Side Wire	15A 120-277V
	SSK-1B	3 way decorative switch Push & Side Wire	15A 120-277V
	SSK-2	Single pole toggle switch Push & Side Wire	15A 120-277V
	SSK-3B	3 way toggle switch Push & Side Wire	15A 120-277V
	SSK-5	Single pole double toggle switch Side Wire	15A 120-277V
	YGD-002	Single pole double decorative switch Side Wire	15A 120-277V



Photo	Model	Description	Rating (A. V.)
	LTD-01	Singlepole LED & Incandescent Dimmer Incandescent 600W LED/CFL 150W	120V, 60Hz
	LTD-01A	3 Way LED & Incandescent Dimmer Incandescent 600W LED/CFL 150W	120V, 60Hz
	LTPS-01	Motion Detector Switc Single Pole Tungsten 1000W, Ballest 1000VA Electronic Ballast/LED 5A Time Delay 5Secs to 5Mins	120V, 60Hz




SHANGHAI LINSKY ELECTRICAL CO.,LTD

 +86-21-67107908

 sales@linsky.cn

 www.linsky.cn

 Office Add: Room 1002, 2# Building, Phoenix Creativity Valley,
1588# Huhang Highway, Fengxian District, Shanghai, China.

Factory Add: No. 15, Lane 1515, Yuandong Road, Fengxian
District, Shanghai, China.